



ELMECO

*Advanced Solutions
for Cold Beverages*


Clock

*...cool at
any time*



ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961



FIRST CLASS
Mix Better



www.elmeco.com



🇬🇧 First Class

Easily adapted to suit your needs, this multi-functional machine is perfect for granita, iced coffee and tea, semi-frozen and frozen desserts, cocktails, sorbets, sangria, lemonade and much, much more.

Thanks to the patented 'total cold' system, the product is kept at a constant temperature, right down to the very last drop, guaranteeing optimal product quality and minimal wastage.

Completely seal-free, the machine is easy to disassemble and clean. An efficient, electronic core makes it simple and intuitive to use.



Model	FC1		FC2		FC3	
Height	30.35 in	771 mm	30.35 in	771 mm	23.86 in	771 mm
Width	9.45 in	240 mm	16.93 in	430 mm	17.30 in	620 mm
Depth	22.28 in	566 mm	21.57 in	548 mm	18.23 in	548 mm
Weight	68.3 lb	31 kg	115 lb	52,5 kg	71.65 lb	64 kg
Capacity	3.17 USgal	12 Lt	6.34 USgal	24 Lt	3.96 USgal	36 Lt
Power	0.67 hp	500 W	1.34 hp	1000 W	0.72 hp	1200 W
Voltage Frequency	220-240 V_ 50 Hz		220-240 V_ 50 Hz		220-240 V_ 50 Hz	
	220 V_ 60 Hz		220 V_ 60 Hz		220 V_ 60 Hz	
	115 V_ 60 Hz		115 V_ 60 Hz		115 V_ 60 Hz	

colours:  Our company reserves the right to make changes without any notice.
L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

WARRANTY / GARANZIA



Exclusive features

DOUBLE AUGERS
better mix



TOTAL COLD SYSTEM
no waste, quality until the last drop



NO RUBBER GASKET
no leaking, no periodical maintenance



ELECTRONIC SYSTEM
density control, auto-diagnostic, defrost



If the room temperature is **>37°C(max 42°C)**, we suggest to use the **First class Tropical** model(FC2; FC3)

Se la temperatura ambiente è **>37°C(max 42°C)**, si consiglia l'uso del modello **First class Tropical**(FC2; FC3)

🇮🇹 First Class

Una macchina polifunzionale, che si adatta alle tue esigenze. perfetta per granita, caffè/té ghiacciati o in crema fredda, cocktail, sorbetto, sangria, limonata e molto altro.

Grazie al sistema brevettato "total cold", il prodotto è tenuto a temperatura costante fino all'ultima goccia, senza sprechi e con qualità garantita.

Facile da disassemblare e pulire, non ha guarnizioni. Un efficace cuore elettronico rende semplice il suo utilizzo.



ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmeco.com - www.elmeco.com

6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmeco.com



ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

FIRST CLASS light panel



www.elmeco.com



🇬🇧 First Class *light panel*

Easily adapted to suit your needs, this multi-functional machine is perfect for granita, iced coffee and tea, semi-frozen and frozen desserts, cocktails, sorbets, sangria, lemonade and much, much more.

Thanks to the patented 'total cold' system, the product is kept at a constant temperature, right down to the very last drop, guaranteeing optimal product quality and minimal wastage.

Plus, FC has been equipped of a led backlight panel to customize better the machine and ensure an appealing look.



Exclusive features

DOUBLE AUGERS
better mix



TOTAL COLD SYSTEM
no waste, quality until the last drop



NO RUBBER GASKET
no leaking, no periodical maintenance



ELECTRONIC SYSTEM
ensity control, auto-diagnostic, defrost



Model	FC1		FC2		FC3	
Height	30.35 in	771 mm	30.35 in	771 mm	23.86 in	771 mm
Width	9.45 in	240 mm	16.93 in	430 mm	17.30 in	620 mm
Depth	22.28 in	566 mm	21.57 in	548 mm	18.23 in	548 mm
Weight	68.3 lb	31 kg	115 lb	52,5 kg	71.65 lb	64 kg
Capacity	3.17USgal	12 Lt	6.34USgal	24 Lt	3.96USgal	36Lt
Power	0.67 hp	500 W	1.34 hp	1000 W	0.72 hp	1200 W
Voltage Frequency	220-240 V_ 50 Hz		220-240 V_ 50 Hz		220-240 V_ 50 Hz	
	220 V_ 60 Hz		220 V_ 60 Hz		220 V_ 60 Hz	
	115 V_ 60 Hz		115 V_ 60 Hz		115 V_ 60 Hz	

colours: Our company reserves the right to make changes without any notice.



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

WARRANTY / GARANZIA



🇮🇹 First Class *light panel*

Una macchina polifunzionale che si adatta alle tue esigenze perfetta per granita, caffè/tè ghiacciati o in crema fredda, cocktail, sorbetto, sangria, limonata e molto altro.

Grazie al sistema brevettato "total cold" il prodotto è tenuto a temperatura costante fino all'ultima goccia, senza sprechi e con qualità garantita.

L'aggiunta del pannello retroilluminato a led permette una completa personalizzazione e un look più fresco e accattivante!




ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmeco.com - www.elmeco.com


6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmeco.com



ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961



BIG BIZ
BIG business
compact size



www.elmeco.com



Big Biz

Big Biz is a multi-functional machine that is easy to use and clean. Extremely flexible and space-saving, Big Biz guarantees big profits, with the added bonus of low investment and maintenance costs.

BB produces small quantities of granita, making it easy to adapt the product to suit your clients' ever-changing tastes.

Perfect for Italian-style granita, iced coffee and tea, soft drinks, desserts, sorbets ice-cold cocktails, lemonade and much, much more...

Discover new recipes, invent new flavours!



Model / Modello	BB1		BB2	
Height / Altezza	21,80 in	552 mm	21,80 in	552 mm
Width / Larghezza	9,90 in	250 mm	17,30 in	440 mm
Depth / Profondità	18,70 in	475 mm	18,70 in	475 mm
Weight / Peso	52,9 lb	24 kg	75 lb	34 kg
Capacity / Capacità	1,58 USgal	6 Lt	3,17 USgal	12 Lt
Power / Potenza	0,43 hp	320 W	0,72 hp	540 W
Voltage_Frequency/ Voltaggio_Frequenza	220-240 V_ 50 Hz		220-240 V_ 50 Hz	
	220 V_ 60 Hz		220 V_ 60 Hz	
	115 V_ 60 Hz		115 V_ 60 Hz	
	100 V_ 50/60 Hz		100 V_ 50/60 Hz	

Our company reserves the right to make changes without any notice.

WARRANTY / GARANZIA



Exclusive features

COMPACT & EASY



TOTAL COLD SYSTEM

no waste, quality until the last drop



NO RUBBER GASKET

no leaking, no periodical maintenance



ELECTRONIC SYSTEM

density control, auto-diagnostic, defrost



1 Removable external condenser air-filter
Filtro esterno removibile



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

Big Biz

Big Biz è una macchina polifunzionale e facile da usare e ripulire, offre grande flessibilità e occupa poco spazio. BB garantisce un grande profitto con un piccolo investimento e praticamente inesistenti spese di manutenzione.

BB produce piccole quantità di granita adatte ad assecondare frequenti cambi di gusto.

Perfetto per granita, crema caffè e tè, o bibite e creme fredde, sorbetti, cocktail ghiacciati, limonata e molto altro...

Scopri nuove ricette, inventa nuovi gusti!

ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

Elmeco srl


Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmeco.com




ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961



↑
B Large
think wider
think positive

www.elmeco.com



BLarge

BLarge is a young but highly proficient machine, resulting from Elmeco's many years of experience in the field.

Highly reliable and compact, it still maintains all the necessary technical features of Elmeco machines, and also comes with a portion-control dispensing system.

Perfect for granita, soft drinks, semi-frozen and frozen desserts, iced coffee and tea, cocktails, sorbet, frozen yoghurt, sangria, lemonade and much, much more...

Discover new recipes, invent new flavours!



Model / Modello	BL1		BL2	
Height / Altezza	23.86 in	606 mm	23.86 in	606 mm
Width / Larghezza	9.90 in	250 mm	17,30 in	440 mm
Depth / Profondità	18.23 in	463 mm	18,23 in	463 mm
Weight / Peso	49 lb	22 kg	71.65 lb	32,5 kg
Capacity / Capacità	1.98 US gal	7,5 Lt	3,96 US gal	15 Lt
Power / Potenza	0.43 hp	320 W	0.72 hp	540 W
Voltage_Frequency / Voltaggio_Frequenza	220-240 V_ 50 Hz		220-240 V_ 50 Hz	
	115 V_ 60 Hz		115 V_ 60 Hz	

colours:

Our company reserves the right to make changes without any notice.

WARRANTY / GARANZIA



Exclusive features

SELF SERVICE
DISPENSING SYSTEM



TOTAL COLD SYSTEM
no waste, quality until the last drop



NO RUBBER GASKET
no leaking, no periodical maintenance



ELECTRONIC SYSTEM
density control, auto-diagnostic, defrost



- 1 patented dispensing system
sistema di erogazione brevettato
- 2 removable external condenser air-filter
filtro esterno removibile



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

BLarge

BLarge è una macchina giovane ma esperta che deriva dall'esperienza che la Elmeco ha raggiunto fino ad ora. Mantiene ogni caratteristica tecnica e di affidabilità, occupa poco spazio ed è dotata di un sistema di erogazione a controllo porzioni.

Perfetta per granite, bibite e creme fredde, caffè/tè, cocktail, sorbetto, yogurt freddo, sangria(!), limonata e molto ancora..

Scopri nuove ricette inventa nuovi gusti!



Elmeco srl

Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmeco.com




ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961



BLarge Plus
Light up
your Business!



www.elmeco.com



🇬🇧 BLarge Plus

BLarge is a young but highly proficient machine, resulting from Elmecco's many years of experience in the field. Highly reliable and compact, it still maintains all the necessary technical features of Elmecco machines, plus it has been equipped of a led lighting system to light up the product in the tanks!

Perfect for granita, soft drinks, semi-frozen and frozen desserts, iced coffee and tea, cocktails, sorbet and much, much more...

Discover new recipes, invent new flavours!



Model / Modello	BL2+	
Height / Altezza	23.86 in	606 mm
Width / Larghezza	9.90 in	250 mm
Depth / Profondità	18.23 in	463 mm
Weight / Peso	49 lb	22 kg
Capacity / Capacità	1.98 USgal	7.5 Lt
Power / Potenza	0.43 hp	320 W
Voltage_Frequency/	220-240 V_ 50 Hz	
Voltaggio_Frequenza	115 V_ 60 Hz	

colours:



Our company reserves the right to make changes without any notice.

WARRANTY / GARANZIA



ELMECCO

ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

Elmecco srl

Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmecco.com - www.elmecco.com

Exclusive features

SELF SERVICE
DISPENSING SYSTEM



TOTAL COLD SYSTEM
no waste, quality until the last drop



NO RUBBER GASKET
no leaking, no periodical maintenance



ELECTRONIC SYSTEM
density control, auto-diagnostic, defrost



- 1 Patented dispensing system
sistema di erogazione brevettato
- 2 removable external condenser air-filter
filtro esterno removibile



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

🇮🇹 BLarge Plus

BLarge plus è dotata di **cupola luminosa**. E' una macchina giovane ma esperta che deriva dall'esperienza che la Elmecco ha raggiunto fino ad ora. Mantiene ogni caratteristica tecnica e di affidabilità Elmecco, occupa poco spazio ed è dotata di un sistema di **erogazione a controllo porzioni**.

Perfetta per **granite, bibite e creme fredde, caffè/tè, cocktail, sorbetto, yogurt freddo, sangria(!), limonata** e molto ancora..

Elmecco USA

6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmecco.com




*a soft soul in
a broad-shouldered
machine*

ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

www.elmeco.com



🇬🇧 Quickream

This machine has been specifically designed for making and dispensing semi-frozen and frozen ice-cream, frozen yoghurt, frappes and smoothies...

Quick and easy to disassemble and clean, Quickream guarantees maximum hygiene for milk-based products.

Thanks to the easy-to-use electronic functions and a patented dispensing system, ① the QK serves electronically measured portions of approximately 70 grammes each.

With it's soft, appealing lines and a wide range of customisable shells, the QK will furnish your bar or restaurant in style.



- ① patented dispensing system
sistema di erogazione brevettato
- ② the innovative removable external condenser air-filter
l'innovativo filtro esterno removibile

Model / Modello	QK1	
Height / Altezza	23.86 in	712 mm
Width / Larghezza	9.90 in	276 mm
Depth / Profondità	18.23 in	471 mm
Weight / Peso	49 lb	27 kg
Capacity / Capacità	1.98 USgal	4 Lt
Power / Potenza	0.43 hp	350 W
Voltage_Frequency/ Voltaggio_Frequenza	220-240 V_ 50 Hz	
	220 V_ 60 Hz	
	115 V_ 60 Hz	
	100 V_ 50/60 Hz	

colours:



Our company reserves the right to make changes without any notice.

WARRANTY / GARANZIA



Intertek



Intertek

Exclusive features

SELF SERVICE
DISPENSING SYSTEM



TOTAL COLD SYSTEM
no waste, quality until the last drop



NO RUBBER GASKET
no leaking, no periodical maintenance



ELECTRONIC SYSTEM
density control, auto-diagnostic, defrost



BRUSHLESS
reduces energy consumption and noises



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

🇮🇹 Quickream

Ideato per la produzione ed erogazione di un gelato soffice e cremoso, yogurt freddo, frappè, frullati. Facile e veloce da smontare e pulire, Quickream garantisce la massima igiene con prodotti a base di latte.

Grazie all'elettronica di facile utilizzo e il brevettato sistema di erogazione, Qk eroga porzioni di circa 70 grammi ciascuna, conteggiate elettronicamente.

Dal design morbido e avvolgente, con ampie scocche personalizzabili, QK arreda il tuo locale.

ELMECO
ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

Elmeco srl


Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmeco.com



ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961



Recharge
your pleasure



Think
innovative
B SMART



www.elmeco.com



1



2



3

BSmart


Right from the very beginning, when we invented our first granita machine, we have made innovation one of our top priorities.

BSmart is the first multi-functional, electronic, refillable machine with portion control and cashless top-up functions. Easy to use and clean, BSmart is extremely flexible and also takes up very little space.

Perfect for Italian-style granita, iced coffee and tea, soft drinks, sorbets, ice-cold cocktails and much, much more...
Discover new recipes, invent new flavours!



Model / Modello	BS1
Height / Altezza	23.86 in 606 mm
Width / Larghezza	9.90 in 250 mm
Depth / Profondità	18.23 in 463 mm
Weight / Peso	49 lb 22 kg
Capacity / Capacità	1.98 USgal 7,5 Lt
Power / Potenza	0.43 hp 320 W
Voltage_Frequency/ Voltaggio_Frequenza	220-240 V_ 50 Hz 115 V_ 60 Hz



4

colours:
■
□

Our company reserves the right to make changes without any notice.
L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

WARRANTY / GARANZIA

- 5 years** - compressor
anni - compressore
- 3 years** - electronic board
anni - elettronica
- 2 years** - parts(excepted plastic items)
anni - parti (non in plastica)



Elmeco srl

Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmeco.com - www.elmeco.com

Exclusive features

CREDIT MANAGEMENT SYSTEM



TOTAL COLD SYSTEM

no waste, quality until the last drop



NO RUBBER GASKET

no leaking, no periodical maintenance



NO SEAL

ELECTRONIC SYSTEM

density control, auto-diagnostic, defrost



3 removable external condenser air-filter
filtro esterno removibile

4 electronic key(credit charge)
chiavetta controllo crediti

5 electronic key socket
attacco chiave crediti



BSmart

Sin dall'inizio della nostra storia, da quando abbiamo inventato la prima macchina per la granita, abbiamo fatto dell'innovazione una buona abitudine. BSsmart è la prima macchina polifunzionale elettronica a ricarica e gestione crediti e controllo porzioni.

Facile da usare e da pulire, BS offre grande flessibilità ed occupa poco spazio.

Perfetto per granita, crema caffè e tè, o bibite fredde, sorbetti, cocktail ghiacciati, limonata e molto altro...
Scopri nuove ricette, inventa nuovi gusti!

Elmeco USA


6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmeco.com

ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961



ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961



Recharge
your pleasure



SMART
& SOFT

www.elmeco.com



QSmart

QSmart is a multi-functional, machine that manages credit and portion control using a cashless, top-up system.

Easy and quick to disassemble and clean, QSmart ensures maximum hygiene for milk-based products.

Thanks to the user-friendly electronics and the patented dispensing system, the QS serves 70-gram, electronically measured portions.

With a soft, attractive design and a customisable body shells, QS furnishes your bar or restaurant in style.



Model / Modello	QS1	
Height / Altezza	28 in	712 mm
Width / Larghezza	10.9 in	276 mm
Depth / Profondità	18.5 in	471 mm
Weight / Peso	59.5 lb	27 kg
Capacity / Capacità	1.05 USgal	4 Lt
Power / Potenza	0.47 hp	350 W
Voltage_Frequency/ Voltaggio_Frequenza	220-240 V_ 50 Hz	
	220 V_ 60 Hz	
	115 V_ 60 Hz	
	100 V_ 50/60 Hz	



colours:

Our company reserves the right to make changes without any notice.
L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

WARRANTY / GARANZIA



Exclusive features

CREDIT MANAGEMENT SYSTEM



TOTAL COLD SYSTEM

no waste, quality until the last drop



NO RUBBER GASKET

no leaking, no periodical maintenance



NO SEAL

ELECTRONIC SYSTEM


density control, auto-diagnostic, defrost



3 removable external condenser air-filter
filtro esterno removibile

4 electronic key(credit charge)
chiavetta controllo crediti

5 electronic key socket
attacco chiave crediti



QSmart!

Macchina polifunzionale elettronica a ricarica e gestione crediti e controllo porzioni. Facile e veloce da smontare e pulire, QSmart garantisce la massima igiene con prodotti a base di latte.

Grazie all'elettronica di facile utilizzo e il brevettato sistema di erogazione, QS eroga porzioni di circa 70 grammi ciascuna, conteggiate elettronicamente.

Dal design morbido e avvolgente, con ampie scocche personalizzabili, QS arreda il tuo locale.

ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

Elmeco srl

Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmeco.com




ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961




www.elmeco.com

FCM Autofill System features




- Available for Elmecco models FCM- 2 & FCM-3
- Bag-n-box(BIB) autofill system refills product at rate of 2-3oz per sec.(varies for different types of concentrate)
- Power cord included, must be plugged in individually from the machine (110V/60Hz)
- Equipped with automatic cleaning and sanitizing valves
- Contains pumps, tubes and solenoids in one, easy to handle box
- Equipped with automatic alarm when syrup BIB empty or insufficient water pressure provided



model	FC2 Autofill	FC3 Autofill
height	24" /60 cm	24" /60 cm
width	20" /52 cm	20" /52 cm
depth	11" / 29 cm	11" /29 cm
weight	40lbs/18kg	42lbs/19kg

WARRANTY



FCM Autofill System benefits

- Easy to set up on the existing(non-autofill) machine(retrofit)
- Maximizes output production by keeping machine full
- Reinforces merchandizing by keeping machine's bowls full
- Eliminates potential human errors in process of premixins water and syrup
- No additional maintenance required

ELMECCO

ADVANCED SOLUTIONS FOR COLD BEVERAGES
SINCE 1961

Elmecco srl

Via Circumvallazione Esterna, 12
80025 Casandrino, Napoli, Italy
Tel +39 081 5055724 Fax +39 081 5055726
info@elmecco.com - www.elmecco.com

Elmecco USA

6047 Tyvola Glen Circle
Charlotte NC 28217, U.S.A.
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141
info@elmecco.com



exclusive features

MULTIFUNCTIONAL/ MULTIBUSINESS



*Quality & flavour
until
the very last drop*

NO GASKET, NO LEAKING



NO
SEAL

TOTAL COLD SYSTEM



ELECTRONIC HEART



PREVENTIVE CONTAMINATION SYSTEM



QUICK & EASY TO DISASSEMBLE & CLEAN



5 years - compressor
3 years - electronic board
2 years - parts, motor gear

